



# RON SOUTON PTY LTD

Drilling and Blasting Contractors

PO Box 48  
ALSTONVILLE NSW 2477

ABN: 81 067 549 339

Ph: 02 6628 0477  
Fax: 02 6628 1756  
Mobile: 0407 752 003  
Email: shot2@hotmail.net.au

## Blakebrook Quarry – Blast Map 7.02.2023



## Results Summary Report

Customer	Blakebrook Quarry	
Date of blast	07-02-2023	
Blast number	02	
Monitor Location	<b>Location 2</b>	
Monitor name/ model details:	Monitor 2 - Micromate	
Monitor Serial no	UM10342	
Calibration date	03.06.2022	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		Y
Airblast overpressure result (dB)	No result triggered	
Ground vibration result (PPV)	No result triggered	
Peak Vector Sum (PVS)	NA	
Licence limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments	<i>Monitor set to record airblast overpressure above 110 dB Monitor set to record ground vibration above 0.5 mm/s</i>	

Monitor Location	<b>Location 8</b>	
Monitor name/ model details:	Monitor 3 – InstanTEL Minimate	
Monitor Serial no	BE22005	
Calibration date	15.03.2022	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		Y
Airblast overpressure result (dB)	98.8 dB	
Ground vibration result (PPV)	1.922 mm/s	
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments	<i>Compliant</i>	

Monitor Location	<b>Location 4</b>	
Monitor name/ model details:	Monitor 4 – Blastmate III	
Monitor Serial no	BA17309	
Calibration date	18.01.2023	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		Y
Airblast overpressure result (dB)	No result triggered	
Ground vibration result (PPV)	No result triggered	
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments	<i>Monitor set to record ground vibration above 0.5 mm/s Monitor set to record airblast overpressure above 110 dB – no event was recorded.</i>	

Monitor Location	<b>Additional residence</b> – [REDACTED] Keerrong Rd	
Monitor name/ model details:	Monitor 1 – Micromate	
Monitor Serial no	UM10341	
Calibration date	2.6.2022	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.	Y	
Airblast overpressure result (dB)	No result triggered	
Ground vibration result (PPV)	No result triggered	
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments	<i>Monitor set to record airblast overpressure above 110 dB Monitor set to record ground vibration above 0.5 mm/s – no event was recorded.</i>	

<b>Name:</b>	[REDACTED]	
<b>Signature:</b>	[REDACTED]	
<b>Position:</b>	Owner/Director	<b>Date:</b> 8-2-2023

Monitor 1 - No trigger

Event Report: Event List - d:\um10341\2023-02-07.14

Type	Serial No.	Date/Time	No. Chan	Trigger	Tran Peak (mm/s)	Vert Peak (mm/s)	Long Peak (mm/s)	Mic Peak (dB)	PVS1 (mm/s)	Description
LOG	UM10341	Feb 7 /23 13:42:15	***	***	***	***	***	***	***	Start Monitoring
LOG	UM10341	Feb 7 /23 14:29:06	***	***	***	***	***	***	***	Stop Monitoring

# Monitor 1 - Non trigger Events

## Event Report: Monitor Log

Start Time	End Time	Status
-----	-----	SERIAL NUMBER: UM10341
Feb 7 /23 13:42:15		Start Monitoring Waveform Geo: 0.500 mm/s Mic: 110.0 dB
Feb 7 /23 13:42:22	Feb 7 /23 13:42:25	Event recorded. Trigger Level MicL: 110.0 dB
Feb 7 /23 14:00:58	Feb 7 /23 14:01:01	Event recorded. Trigger Level MicL: 110.0 dB
Feb 7 /23 14:12:15	Feb 7 /23 14:12:18	Event recorded. Trigger Level MicL: 110.0 dB
Feb 7 /23 14:19:50	Feb 7 /23 14:19:53	Event recorded. Trigger Level Tran: 0.500 mm/
Feb 7 /23 14:25:12	Feb 7 /23 14:25:15	Event recorded. Trigger Level MicL: 110.0 dB
Feb 7 /23 14:26:17	Feb 7 /23 14:26:20	Event recorded. Trigger Level MicL: 110.0 dB
Feb 7 /23 14:26:22	Feb 7 /23 14:26:25	Event recorded. Trigger Level MicL: 110.0 dB
Feb 7 /23 14:26:28	Feb 7 /23 14:26:30	Event recorded. Trigger Level MicL: 110.0 dB
Feb 7 /23 14:26:41	Feb 7 /23 14:26:43	Event recorded. Trigger Level MicL: 110.0 dB
Feb 7 /23 14:26:53	Feb 7 /23 14:26:56	Event recorded. Trigger Level MicL: 110.0 dB
Feb 7 /23 14:29:00	Feb 7 /23 14:29:03	Event recorded. Trigger Level MicL: 110.0 dB
Feb 7 /23 14:29:03	Feb 7 /23 14:29:06	Event recorded. (Keyboard Exit) Waveform Geo: 0.500 mm/s Mic: 110.0 dB

# Monitor 2

## Event Report: Event List - d:\um10342\2023-02-07.16\dir002

Type	Serial No.	Date/Time	No. Chan	Trigger	Tran Peak (mm/s)	Vert Peak (mm/s)	Long Peak (mm/s)	Mic Peak (dB)	PVS1 (mm/s)	Description
W	UM10342	Feb 7 /23 13:46:22	4	Tran	0.276	0.339	0.536	<88L	0.658	
W	UM10342	Feb 7 /23 14:02:28	4	MicL	0.047	0.047	0.047	101.1L	0.062	
W	UM10342	Feb 7 /23 14:02:57	4	MicL	0.055	0.063	0.047	103.9L	0.069	
W	UM10342	Feb 7 /23 14:03:02	4	MicL	0.055	0.055	0.055	107.1L	0.064	
W	UM10342	Feb 7 /23 14:03:12	4	MicL	0.055	0.071	0.047	108.0L	0.072	
W	UM10342	Feb 7 /23 14:03:15	4	MicL	0.055	0.063	0.055	108.9L	0.069	
W	UM10342	Feb 7 /23 14:03:18	4	MicL	0.047	0.063	0.055	111.1L	0.068	
W	UM10342	Feb 7 /23 14:03:21	4	MicL	0.047	0.055	0.047	112.2L	0.061	
W	UM10342	Feb 7 /23 14:03:24	4	MicL	0.047	0.055	0.047	109.7L	0.069	
W	UM10342	Feb 7 /23 14:04:03	4	MicL	0.055	0.039	0.047	100.9L	0.069	
W	UM10342	Feb 7 /23 14:04:08	4	MicL	0.055	0.055	0.055	103.1L	0.074	
W	UM10342	Feb 7 /23 14:05:25	4	MicL	0.063	0.055	0.055	104.6L	0.078	
W	UM10342	Feb 7 /23 14:05:29	4	MicL	0.063	0.063	0.055	105.5L	0.078	
W	UM10342	Feb 7 /23 14:08:54	4	MicL	0.063	0.055	0.063	100.0L	0.083	
W	UM10342	Feb 7 /23 14:10:20	4	MicL	0.055	0.063	0.063	100.5L	0.073	
W	UM10342	Feb 7 /23 14:16:20	4	MicL	0.055	0.047	0.047	106.6L	0.058	
W	UM10342	Feb 7 /23 14:18:51	4	MicL	0.047	0.047	0.047	109.4L	0.058	
W	UM10342	Feb 7 /23 14:20:07	4	MicL	0.047	0.079	0.055	100.3L	0.079	
W	UM10342	Feb 7 /23 14:20:35	4	Tran	0.276	0.166	0.197	<88L	0.284	

Event Report: Monitor Log - # BA17309-Compliance

Start Time	End Time	Status
		SERIAL NUMBER: BA17309
Feb 7 /23 13:05:12		Start Monitoring Trigger Level: Geo: 0.510 mm/s Mic: 110.0 dB(L)
Feb 7 /23 13:05:16	Feb 7 /23 13:05:19	Event recorded. Trigger Level Long: 0.510 mm/s
Feb 7 /23 13:05:33		Start Monitoring Trigger Level: Geo: 0.510 mm/s Mic: 110.0 dB(L)
Feb 7 /23 13:05:38	Feb 7 /23 13:05:41	Event recorded. Trigger Level Long: 0.510 mm/s
Feb 7 /23 13:05:54		Start Monitoring Trigger Level: Geo: 0.510 mm/s Mic: 110.0 dB(L)
Feb 7 /23 13:18:34	Feb 7 /23 13:18:37	Event recorded. Trigger Level Tran: 0.510 mm/s
Feb 7 /23 13:18:51		Start Monitoring Trigger Level: Geo: 0.510 mm/s Mic: 110.0 dB(L)
Feb 7 /23 13:22:32	Feb 7 /23 13:22:34	Event recorded. (Keyboard Exit) Trigger Level Long: 0.510 mm/s

Note: AEST (not AEDT)

**Date/Time** Long at 14:16:53 February 7, 2023  
**Trigger Source** Geo: 0.510 mm/s, Mic: 109.5 dB(L)  
**Range** Geo: 254.0 mm/s  
**Record Time** 1.0 sec at 1024 sps  
**Job Number:** 1

**Serial Number** BE22005 V 10.72-8.17 MiniMate Plus  
**Battery Level** 6.3 Volts  
**Unit Calibration** March 15, 2022 by Saros Int  
**File Name** \_\_TEMP.EVT

**Notes**

Location: Monitoring Point 8  
 Client:  
 User Name:  
 General:



**Extended Notes**

**Microphone** Linear Weighting  
**PSPL** 98.8 dB(L) at 0.757 sec  
**ZC Freq** 7.3 Hz  
**Channel Test** Passed (Freq = 19.7 Hz Amp = 475 mv )

	Tran	Vert	Long	
<b>PPV</b>	1.651	1.397	1.524	mm/s
<b>ZC Freq</b>	21	16	14	Hz
<b>Time (Rel. to Trig)</b>	0.479	0.611	0.425	sec
<b>Peak Acceleration</b>	0.040	0.027	0.027	g
<b>Peak Displacement</b>	0.015	0.014	0.017	mm
<b>Sensor Check</b>	Passed	Passed	Passed	
<b>Frequency</b>	7.3	7.5	7.6	Hz
<b>Overswing Ratio</b>	3.6	3.4	3.6	

**Peak Vector Sum** 1.922 mm/s at 0.668 sec

**USBM RI8507 And OSMRE**



**Time Scale:** 0.10 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 10.000 pa.(L)/div  
**Trigger =**

Sensor Check



## Results Summary Report

Customer	Blakebrook Quarry	
Date of blast	16/3/23	
Blast number	3 <del>          </del> <span style="background-color: black; color: black;">[REDACTED]</span>	
Monitor Location	Location 2 ( <span style="background-color: black; color: black;">[REDACTED]</span> Keerrong Rd Blakebrook) 1 MONITOR	
Monitor name/ model details:	INSTANTEL MINIMATE	
Monitor Serial no	UM 10341	
Calibration date	2/6/22	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		(Y)
Airblast overpressure result (dB)	100.3 DBL	
Ground vibration result (PPV)	2.133 mm/sec	
Licence limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments	NO PROBLEMS	

Monitor Location	Location 8 ( <span style="background-color: black; color: black;">[REDACTED]</span> Nimbin Rd Blakebrook) 3 MONITOR	
Monitor name/ model details:	INSTANTEL MINIMATE	
Monitor Serial no	BE 22005	
Calibration date	17/2/23	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		(Y)
Airblast overpressure result (dB)	NO TRIGGER AT 12:04 pm.	
Ground vibration result (PPV)	NO TRIGGER AT 12:04 pm.	
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments		

Monitor Location	Location 4 ( <span style="background-color: black; color: black;">[REDACTED]</span> Booerie Creek Road Booerie Creek) 4 MONITOR	
Monitor name/ model details:	INSTANTEL BLASTMATE III	
Monitor Serial no	BA 17309	
Calibration date	18/1/23	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		(Y)
Airblast overpressure result (dB)	100.0 DBL	
Ground vibration result (PPV)	2.261 mm/sec	
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments	NO PROBLEMS	

Monitor Location	1	Additional residence - [REDACTED] Keerrong Rd	2. Monitor
Monitor name/ model details:	INSTANTEA MINIMATR		
Monitor Serial no	UM10342		
Calibration date	2/6/22		
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.			(Y)
Airblast overpressure result (dB)	88 DBL		
Ground vibration result (PPV)	0.478 mm/sec		
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s		
Comments	NO PROBLEMS		

Name:	[REDACTED]		
Signature:	[REDACTED]		
Position:	MANAGER	Date:	16/3/23

No Trigger Report Summary Report (if required)

Customer	Northern Rivers Quarry (Blakebrook Quarry)	
Date of blast	16/3/23	
Blast number	3	
Monitor Location	i.e. Primary Monitoring Location 8 [REDACTED] Nimbin Road, Blakebrook)	
Monitor name/ model details:	INSTANTEL MINIMATE Monitor 3	
Monitor Serial no	BE 22005	
Calibration date	17/2/23	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		(Y/N)
Airblast overpressure result (dB)	NO TRIGGER	
Ground vibration result (PPV)	NO TRIGGER	
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments	i.e. Monitor was set to record ground vibration above xx mm/s – no event was recorded. MONITOR SET ON 0.5mm/sec and 110 DBL - This monitor report is compliant with EPL conditions and has been undertaken in accordance with AS 2187.2-2006	

Name:	[REDACTED]
Position:	MANAGER
Signature:	[REDACTED]
Date:	16/3/23

**Date/Time** Long at 12:07:14 March 16, 2023  
**Trigger Source** Geo: 0.127 mm/s, Mic: 100.00 dB(L)  
**Range** Geo: 254.0 mm/s  
**Record Time** 3.0 sec at 2048 sps  
**Operator/Setup:** Operator/Default Micromate DIN.MMB

**Serial Number** UM10342 V 10-90GC Micromate DIN  
**Battery Level** 3.8 Volts  
**Unit Calibration** June 2, 2022 by Saros Int  
**File Name** UM10342\_20230316120714.IDFW



**Notes:** ■ Keerrong Rd Additional residence

**Microphone** Linear Weighting  
**PSPL** <88 dB(L)  
**ZC Freq** 9.1 Hz  
**Channel Test** Passed (Freq = 20.5 Hz Amp = 1461 mv)

	Tran	Vert	Long	
PPV	0.205	0.150	0.386	mm/s
ZC Freq	30	18.3	28	Hz
Time (Rel. to Trig)	0.313	0.910	0.489	sec
Peak Acceleration	0.010	0.008	0.015	g
Peak Displacement	0.001	0.001	0.002	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.3	7.3	7.1	Hz
Overswing Ratio	3.3	3.4	3.7	

**Peak Vector Sum** 0.428 mm/s at 0.490 sec  
**N/A: Not Applicable**

## USBM RI8507 And OSMRE



**Time Scale:** 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 1.000 pa.(L)/div  
**Trigger =**

Sensor Check

**Date/Time** Long at 12:07:59 March 16, 2023  
**Trigger Source** Geo: 0.500 mm/s, Mic: 110.0 dB(L)  
**Range** Geo: 254.0 mm/s  
**Record Time** 3.0 sec at 2048 sps  
**Operator/Setup:** Operator/Default Micromate DIN.mmb

**Serial Number** UM10341 V 10-90GC Micromate DIN  
**Battery Level** 3.8 Volts  
**Unit Calibration** June 2, 2022 by Saros Int  
**File Name** UM10341\_20230316120759.IDFW



Notes: MP#2

**Microphone** Linear Weighting  
**PSPL** 100.3 dB(L) at 0.796 sec  
**ZC Freq** <1.0 Hz  
**Channel Test** Passed (Freq = 20.5 Hz Amp = 1493 mv)

	Tran	Vert	Long	
PPV	1.821	1.088	2.057	mm/s
ZC Freq	14.4	13.0	9.8	Hz
Time (Rel. to Trig)	0.663	0.698	1.248	sec
Peak Acceleration	0.021	0.025	0.021	g
Peak Displacement	0.025	0.012	0.031	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.3	7.5	7.3	Hz
Overswing Ratio	3.3	3.0	3.8	

Peak Vector Sum 2.133 mm/s at 1.248 sec

## USBM RI8507 And OSMRE



**Time Scale:** 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 1.000 pa.(L)/div  
**Trigger =**

Sensor Check



Event Report: Monitor Log - # BE22005-Compliance

Start Time	End Time	Status
Mar 16 /23 11:54:50	Mar 16 /23 11:54:51	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:55:04	Mar 16 /23 11:55:05	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:55:18	Mar 16 /23 11:55:19	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:55:32	Mar 16 /23 11:55:33	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:55:46	Mar 16 /23 11:55:47	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:56:00	Mar 16 /23 11:56:01	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:56:14	Mar 16 /23 11:56:15	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:56:28	Mar 16 /23 11:56:29	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:56:42	Mar 16 /23 11:56:43	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:56:56	Mar 16 /23 11:56:57	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:57:10	Mar 16 /23 11:57:11	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:57:24	Mar 16 /23 11:57:25	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:57:38	Mar 16 /23 11:57:39	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:57:52	Mar 16 /23 11:57:53	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:58:06	Mar 16 /23 11:58:07	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:58:20	Mar 16 /23 11:58:21	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:58:34	Mar 16 /23 11:58:35	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:58:48	Mar 16 /23 11:58:49	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:59:02	Mar 16 /23 11:59:03	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:59:16	Mar 16 /23 11:59:17	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:59:30	Mar 16 /23 11:59:31	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:59:44	Mar 16 /23 11:59:45	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 11:59:58	Mar 16 /23 11:59:59	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 12:00:12	Mar 16 /23 12:00:13	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 12:00:26	Mar 16 /23 12:00:27	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 12:00:40	Mar 16 /23 12:00:41	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 12:00:54	Mar 16 /23 12:00:55	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 12:01:08	Mar 16 /23 12:01:09	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 12:01:22	Mar 16 /23 12:01:23	Event recorded. Trigger Level MicL: 6.00 pa.(L)
Mar 16 /23 12:01:36	Mar 16 /23 12:29:45	No events recorded. (Keyboard Exit) Geo: 0.510 mm/s Mic: 6.00 pa.(L)

**Date/Time** Long at 11:04:27 March 16, 2023  
**Trigger Source** Geo: 0.510 mm/s, Mic: 110.0 dB(L)  
**Range** Geo: 254.0 mm/s  
**Record Time** 3.0 sec at 1024 sps

**Serial Number** BA17309 V 10.72-8.17 BlastMate III  
**Battery Level** 6.4 Volts  
**Unit Calibration** January 19, 2023 by Saros Int.  
**File Name** \_\_TEMP.EVT

Notes: MP#4

RON SOUTHON P/L  
General:



**Extended Notes**

**Microphone** Linear Weighting  
**PSPL** 100.0 dB(L) at 2.548 sec  
**ZC Freq** 8.8 Hz  
**Channel Test** Passed (Freq = 20.1 Hz Amp = 426 mv )

	Tran	Vert	Long	
PPV	2.032	1.651	2.032	mm/s
ZC Freq	12	15	16	Hz
Time (Rel. to Trig)	1.901	0.873	1.552	sec
Peak Acceleration	0.027	0.027	0.040	g
Peak Displacement	0.033	0.017	0.023	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.9	7.5	7.4	Hz
Overswing Ratio	3.4	3.2	3.7	

Peak Vector Sum 2.261 mm/s at 1.306 sec

**USBM RI8507 And OSMRE**



**Time Scale:** 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 10.000 pa.(L)/div  
**Trigger =**

Sensor Check



**Date/Time** Long at 10:58:31 April 4, 2023  
**Trigger Source** Geo: 0.500 mm/s  
**Range** Geo: 254.0 mm/s  
**Record Time** 3.0 sec at 2048 sps  
**Operator/Setup:** Operator/Default Micromate DIN.MMB

**Serial Number** UM10341 V 10-90GC Micromate DIN  
**Battery Level** 3.8 Volts  
**Unit Calibration** June 2, 2022 by Saros Int  
**File Name** UM10341\_20230404105831.IDFW



Notes: MP#2

**Microphone** Linear Weighting  
**PSPL** <88 dB(L)  
**ZC Freq** 31 Hz  
**Channel Test** Passed (Freq = 20.5 Hz Amp = 1620 mv)

	Tran	Vert	Long	
PPV	0.914	0.449	0.749	mm/s
ZC Freq	8.6	12.3	9.7	Hz
Time (Rel. to Trig)	0.163	0.152	0.006	sec
Peak Acceleration	0.015	0.015	0.013	g
Peak Displacement	0.013	0.004	0.011	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.3	7.5	7.3	Hz
Overswing Ratio	3.4	3.1	3.7	

**Peak Vector Sum** 0.941 mm/s at 0.163 sec  
**N/A: Not Applicable**

### USBM RI8507 And OSMRE



**Time Scale:** 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 1.000 pa.(L)/div  
**Trigger =**

Sensor Check

**Date/Time** Long at 10:58:19 April 4, 2023  
**Trigger Source** Geo: 0.127 mm/s  
**Range** Geo: 254.0 mm/s  
**Record Time** 3.0 sec at 2048 sps  
**Operator/Setup:** Operator/Default Micromate DIN.MMB

**Serial Number** UM10342 V 10-90GC Micromate DIN  
**Battery Level** 3.8 Volts  
**Unit Calibration** June 3, 2022 by Saros Int  
**File Name** UM10342\_20230404105819.IDFW



**Notes** Keerong Rd - additional residence

**Microphone** Linear Weighting  
**PSPL** 104.4 dB(L) at 2.015 sec  
**ZC Freq** 10.7 Hz  
**Channel Test** Passed (Freq = 20.5 Hz Amp = 1576 mv )

	Tran	Vert	Long	
PPV	1.545	1.364	3.421	mm/s
ZC Freq	1.5	102	25	Hz
Time (Rel. to Trig)	0.502	0.501	0.121	sec
Peak Acceleration	0.140	0.194	0.341	g
Peak Displacement	0.064	0.008	0.132	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.1	7.3	7.1	Hz
Overswing Ratio	3.5	3.4	3.7	

**Peak Vector Sum** 3.688 mm/s at 0.502 sec

### USBM RI8507 And OSMRE



**Time Scale:** 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 1.000 pa.(L)/div

Sensor Check

**Date/Time** Long at 12:57:38 April 4, 2023  
**Trigger Source** Geo: 0.510 mm/s  
**Range** Geo: 254.0 mm/s  
**Record Time** 3.0 sec at 1024 sps

**Serial Number** BA17309 V 10.72-8.17 BlastMate III  
**Battery Level** 6.2 Volts  
**Unit Calibration** January 19, 2023 by Saros Int.  
**File Name** \_\_TEMP.EVT

Notes: MP#4

RON SOUTHON P/L  
General:



**Extended Notes**

**Microphone** Linear Weighting  
**PSPL** 100.0 dB(L) at 2.604 sec  
**ZC Freq** 7.5 Hz  
**Channel Test** Passed (Freq = 20.1 Hz Amp = 532 mv )

	Tran	Vert	Long	
PPV	1.524	1.651	1.778	mm/s
ZC Freq	12	17	9.1	Hz
Time (Rel. to Trig)	1.069	0.805	0.781	sec
Peak Acceleration	0.027	0.027	0.040	g
Peak Displacement	0.019	0.018	0.024	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.8	7.5	7.2	Hz
Overswing Ratio	3.5	3.2	3.8	

Peak Vector Sum 2.265 mm/s at 1.151 sec

**USBM RI8507 And OSMRE**



**Time Scale:** 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 10.000 pa.(L)/div  
**Trigger =**

Sensor Check

## Results Summary Report

Customer	Blakebrook Quarry	
Date of blast	04-04-2023	
Time of blast	11:58am	
Blast number	04	
Monitor Location	Location 2 (Keerrong Rd Blakebrook)	
Monitor name/ model details:	Micromate <b>MONITOR 1</b>	
Monitor Serial no	UM10341	
Time of recording/comments	Daylight saving adj corrections both auto & manual mean an incorrect time of 10.:58m was indicated on the monitor.	
Calibration date	02-06-2022	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.	Y	
Airblast overpressure result (dB)	88	
Ground vibration result (PPV)	0.914mm/s, 0.449, 0.749mm/s (PVS 0.941mm/s)	
Licence limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments		

Monitor Location	Location 8 (Nimbin Rd Blakebrook)	
Monitor name/ model details:	Minimate Plus <b>MONITOR 3</b>	
Monitor Serial no	BE22005	
Time of recording/comments	Set on old day light saving time	
Calibration date	17-02-2023	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.	Y	
Airblast overpressure result (dB)	No Trigger	
Ground vibration result (PPV)	No Trigger	
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments		

Monitor Location	Location 4 (Booerie Creek Road Booerie Creek)	
Monitor name/ model details:	Blastmate III <b>MONITOR 4</b>	
Monitor Serial no	BA17309	
Time of recording/comments	Time not adjusted back for end of daylight saving. Monitor showed incorrect time of 12:58pm	
Calibration date	19-01-2023	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.	Y	
Airblast overpressure result (dB)	100dB(L)	

Ground vibration result (PPV)	1.524, 1.651, 1.778mm/s (PVS 2.265mm/s)
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s
Comments	

Monitor Location	<b>Additional residence</b> – [REDACTED] Keerrong Rd	
Monitor name/ model details:	Micromate	<b>MONITOR 2</b>
Monitor Serial no	UM10342	
Time of recording/comments	Daylight saving adj corrections both auto & manual mean an incorrect time of 10.:58m was indicated on the monitor.	
Calibration date	03-06-2022	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		Y
Airblast overpressure result (dB)	104.4 dB(L)	
Ground vibration result (PPV)	1.545, 1.364, 3.421mm/s (PVS 3.688mm/s)	
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments		

<b>Name:</b>	[REDACTED]	
<b>Signature:</b>	[REDACTED]	
<b>Position:</b>	Owner/Director	<b>Date:</b> 04-04-2023



Start Time	End Time	Status
------------	----------	--------

----- SERIAL NUMBER: BE22005

Apr 4 /23 12:20:09		Start Monitoring Trigger Level: Geo: 0.510 mm/s
--------------------	--	---

Apr 4 /23 13:18:19	Apr 4 /23 13:18:20	Event recorded. (Keyboard Exit) Trigger Level Tran: 0.510 mm/s
--------------------	--------------------	--

**Date/Time** Tran at 11:11:30 May 2, 2023  
**Trigger Source** Geo: 0.500 mm/s  
**Range** Geo: 254.0 mm/s  
**Record Time** 3.0 sec at 2048 sps  
**Operator/Setup:** Operator/Default Micromate DIN.MMB

**Serial Number** UM10341 V 10-90GC Micromate DIN  
**Battery Level** 3.8 Volts  
**Unit Calibration** June 2, 2022 by Saros Int  
**File Name** UM10341\_20230502111130.IDFW



Notes: MP #2

**Microphone** Linear Weighting  
**PSPL** 95.3 dB(L) at -0.066 sec  
**ZC Freq** 3.9 Hz  
**Channel Test** Passed (Freq = 20.5 Hz Amp = 1631 mv )

	Tran	Vert	Long	
PPV	0.497	0.181	0.386	mm/s
ZC Freq	5.9	26	7.6	Hz
Time (Rel. to Trig)	0.000	-0.196	0.480	sec
Peak Acceleration	0.012	0.010	0.012	g
Peak Displacement	0.016	0.002	0.008	mm
Sensor Check	Check	Passed	Check	
Frequency	7.7	7.5	7.3	Hz
Overswing Ratio	2310.0	3.2	3.4	

Peak Vector Sum 0.537 mm/s at 0.173 sec

## USBM RI8507 And OSMRE



**Time Scale:** 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 1.000 pa.(L)/div  
**Trigger =**

Sensor Check



**Date/Time** Vert at 11:11:57 May 2, 2023  
**Trigger Source** Geo: 0.510 mm/s  
**Range** Geo: 254.0 mm/s  
**Record Time** 1.0 sec at 1024 sps  
**Job Number:** 1

**Serial Number** BE22005 V 10.72-8.17 MiniMate Plus  
**Battery Level** 6.3 Volts  
**Unit Calibration** February 17, 2023 by Saros Int.  
**File Name** \_\_TEMP.EVT



**Notes:** MP#8  
 Location:  
 Client:  
 User Name:  
 General:

**Extended Notes**

**Microphone** Linear Weighting  
**PSPL** <88 dB(L)  
**ZC Freq** >100 Hz  
**Channel Test** Passed (Freq = 19.7 Hz Amp = 598 mv )

	Tran	Vert	Long	
PPV	0.762	0.889	0.762	mm/s
ZC Freq	18	23	28	Hz
Time (Rel. to Trig)	0.913	0.298	0.401	sec
Peak Acceleration	0.013	0.027	0.027	g
Peak Displacement	0.007	0.007	0.005	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.3	7.6	7.6	Hz
Overswing Ratio	3.6	3.6	3.8	

**Peak Vector Sum** 1.000 mm/s at 0.936 sec  
**N/A: Not Applicable**



**Date/Time** Vert at 11:11:54 May 2, 2023  
**Trigger Source** Geo: 0.510 mm/s  
**Range** Geo: 254.0 mm/s  
**Record Time** 3.0 sec at 1024 sps

**Serial Number** BA17309 V 10.72-8.17 BlastMate III  
**Battery Level** 6.1 Volts  
**Unit Calibration** January 19, 2023 by Saros Int.  
**File Name** \_\_TEMP.EVT

Notes: MP#4

RON SOUTHON P/L  
General:



**Extended Notes**

**Microphone** Linear Weighting  
**PSPL** 102.8 dB(L) at 2.950 sec  
**ZC Freq** 16 Hz  
**Channel Test** Passed (Freq = 20.1 Hz Amp = 494 mv )

	Tran	Vert	Long	
PPV	0.635	0.635	0.762	mm/s
ZC Freq	12	12	9.3	Hz
Time (Rel. to Trig)	1.317	0.005	1.293	sec
Peak Acceleration	0.027	0.027	0.027	g
Peak Displacement	0.009	0.008	0.013	mm
Sensor Check	Passed	Passed	Passed	
Frequency	8.1	7.6	7.2	Hz
Overswing Ratio	3.5	3.3	3.8	


Peak Vector Sum 0.842 mm/s at 1.345 sec

**USBM RI8507 And OSMRE**



**Time Scale:** 0.20 sec/div    **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 10.000 pa.(L)/div  
**Trigger =**

Sensor Check



Projection: GDA2020 / MGA zone 56

Date: 14/02/2023 1:19 PM

## Results Summary Report

Customer	Blakebrook Quarry	
Date of blast	2/5/23	
Time of blast	11:11am	
Blast number	5	
Monitor Location	Location 2 (Keerrong Rd Blakebrook)	
Monitor name/ model details:	INSTANTEL MICROMATE	
Monitor Serial no	UM 10341 V10-906-C	
Time of recording/comments	11:11am	
Calibration date	JUNE 2 2022	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		(Y)
Airblast overpressure result (dB)	95.3 DBL	
Ground vibration result (PPV)	0.537 mm/sec	
Licence limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments	WITHIN LIMITS	

Monitor Location	Location 8 (Nimbin Rd Blakebrook)	
Monitor name/ model details:	INSTANTEL MINIMATE PLUS	
Monitor Serial no	BE 22005 V 10.72-8.17	
Time of recording/comments	11:11am	
Calibration date	17/2/23	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		(Y)
Airblast overpressure result (dB)	2.55 DBL	
Ground vibration result (PPV)	1.0 mm/sec	
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments	WITHIN LIMITS	

Monitor Location	Location 4 (Booerie Creek Road Booerie Creek)	
Monitor name/ model details:	INSTANTEL BLASTMATE III	
Monitor Serial no	BA 17309 V 10.72-8.17	
Time of recording/comments	11:11am	
Calibration date	19/11/23	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		Y
Airblast overpressure result (dB)	102.8 DBL	
Ground vibration result (PPV)	0.842 mm/sec	

EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s
Comments	

Monitor Location	Additional residence - [REDACTED] Keerrong Rd	
Monitor name/ model details:	INSTANTEL MINIMATE	
Monitor Serial no	UM10342	
Time of recording/comments	DID NOT TRIGGER AT BLAST TIME 11:11am.	
Calibration date	30/6/22	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		(Y)
Airblast overpressure result (dB)	DID NOT TRIGGER	
Ground vibration result (PPV)	DID NOT TRIGGER	
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments	DID NOT TRIGGER	

Name:	[REDACTED]	
Signature:	[REDACTED]	
Position:	MANAGER	Date: 2/5/23

No Trigger Report Summary Report (if required)

Customer	Northern Rivers Quarry (Blakebrook Quarry)	
Date of blast	02-05-23	
Blast number	05	
Monitor Location additional residence	[Redacted] Keerong Rd, Blakebrook	
Monitor name/ model details:	Instantel Minimate	
Monitor Serial no	11M10342	
Calibration date	03/06/22	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.	Y/N	
Airblast overpressure result (dB)	Did not trigger at blast time 11.11am	
Ground vibration result (PPV)	Did not trigger	
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments	i.e. Monitor was set to record ground vibration above xx mm/s – no event was recorded. This monitor report is compliant with EPL conditions and has been undertaken in accordance with AS 2187.2-2006	

Name:	[Redacted]
Position:	Manager
Signature:	[Redacted]
Date:	02-05-23

Printed: May 2, 2023 (V 10.72 - 10.74) Event Report: Monitor Log

Start Time	End Time	Status
------------	----------	--------

----- SERIAL NUMBER: UM10342

May 2 /23 10:43:33		Start Monitoring Waveform Geo: 0.127 mm/s
May 2 /23 11:34:30	May 2 /23 11:34:32	Event recorded. Trigger Level Long: 0.127 mm/s
May 2 /23 11:34:32	May 2 /23 11:34:32	Event recorded. (Keyboard Exit)

Waveform Geo: 0.127 mm/s

**Date/Time** Long at 10:06:11 October 26, 2023  
**Trigger Source** Geo: 0.500 mm/s, Mic: 110.0 dB(L)  
**Range** Geo: 254.0 mm/s  
**Record Time** 3.0 sec at 2048 sps  
**Operator/Setup:** Operator/Default Micromate DIN.MMB

**Serial Number** UM10341 V 10-90GC Micromate DIN  
**Battery Level** 3.8 Volts  
**Unit Calibration** May 22, 2023 by Saros Int  
**File Name** UM10341\_20231026100611.IDFW



Notes MP#2

**Microphone** Linear Weighting  
**PSPL** <88 dB(L)  
**ZC Freq** 4.4 Hz  
**Channel Test** Passed (Freq = 20.5 Hz Amp = 1658 mv )

	Tran	Vert	Long	
PPV	1.860	0.520	2.546	mm/s
ZC Freq	12.8	21	11.5	Hz
Time (Rel. to Trig)	2.044	1.754	1.306	sec
Peak Acceleration	0.025	0.016	0.026	g
Peak Displacement	0.029	0.005	0.030	mm
Sensor Check	Check	Passed	Passed	
Frequency	7.5	7.5	7.1	Hz
Overswing Ratio	2.9	3.1	3.8	

**Peak Vector Sum** 2.645 mm/s at 1.306 sec  
**N/A: Not Applicable**

## USBM RI8507 And OSMRE



**Time Scale:** 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 1.000 pa.(L)/div  
**Trigger =**

Sensor Check



**Date/Time** Tran at 10:05:43 October 26, 2023  
**Trigger Source** Geo: 0.510 mm/s  
**Range** Geo: 254.0 mm/s  
**Record Time** 1.0 sec at 1024 sps  
**Job Number:** 1

**Serial Number** BE22005 V 10.72-8.17 MiniMate Plus  
**Battery Level** 6.2 Volts  
**Unit Calibration** February 17, 2023 by Saros Int.  
**File Name** \_\_TEMP.EVT

**Notes** MP#8

Location:  
 Client:  
 User Name:  
 General:



**Extended Notes**

**Microphone** Linear Weighting  
**PSPL** 94.0 dB(L) at 0.147 sec  
**ZC Freq** 12 Hz  
**Channel Test** Passed (Freq = 19.7 Hz Amp = 562 mv )

	Tran	Vert	Long	
<b>PPV</b>	0.635	0.508	0.127	mm/s
<b>ZC Freq</b>	30	19	>100	Hz
<b>Time (Rel. to Trig)</b>	0.799	0.962	-0.229	sec
<b>Peak Acceleration</b>	0.027	0.013	0.013	g
<b>Peak Displacement</b>	0.004	0.004	0.000	mm
<b>Sensor Check</b>	Passed	Passed	Check	
<b>Frequency</b>	7.3	7.7	8.5	Hz
<b>Overswing Ratio</b>	3.7	3.5	5.0	

**Peak Vector Sum** 0.730 mm/s at 0.963 sec

**USBM RI8507 And OSMRE**



**Date/Time** Long at 10:06:05 October 26, 2023  
**Trigger Source** Geo: 0.500 mm/s, Mic: 110.0 dB(L)  
**Range** Geo: 254.0 mm/s  
**Record Time** 3.0 sec at 1024 sps  
**Operator/Setup:** Operator/factory.MMB

**Serial Number** UM21716 V 10-90GC Micromate ISEE  
**Battery Level** 3.8 Volts  
**Unit Calibration** June 9, 2023 by InstanTel  
**File Name** UM21716\_20231026100605.IDFW

**Notes** MP#4



Location:  
 Client:  
 User Name:  
 General:

**Microphone** Linear Weighting  
**PSPL** 102.5 dB(L) at 2.996 sec  
**ZC Freq** N/A  
**Channel Test** Passed (Freq = 20.5 Hz Amp = 1360 mv )

	Tran	Vert	Long	
PPV	2.128	0.780	1.970	mm/s
ZC Freq	26	22	23	Hz
Time (Rel. to Trig)	2.210	1.563	1.985	sec
Peak Acceleration	0.058	0.018	0.050	g
Peak Displacement	0.013	0.007	0.013	mm
Sensor Check	Passed	Passed	Passed	
Frequency	7.5	7.5	7.3	Hz
Overswing Ratio	4.3	3.7	4.8	


**Peak Vector Sum** 2.171 mm/s at 2.211 sec  
**N/A: Not Applicable**

**USBM RI8507 And OSMRE**



**Time Scale:** 0.20 sec/div **Amplitude Scale:** Geo: 2.000 mm/s/div Mic: 1.000 pa.(L)/div  
**Trigger =**

Sensor Check



Lismore City Council  
 43 Oliver Avenue  
 Goonellabah NSW 2480  
 Post: PO Box 23A, Lismore  
 NSW 2480  
 Phone: 1300 87 83 87  
 Fax: 02 66 250 400  
 Email:  
 council@lismore.nsw.gov.au  
 Web:  
 www.lismore.nsw.gov.au

© Lismore City Council.  
 © LPI Department of Finance and Services, Panorama Avenue, Bathurst, 2795. www.lpi.nsw.gov.au.  
 While every care is taken to ensure the accuracy of this product, Lismore City Council and the Local / State / Federal Government departments and Non-Government organisations whom supply datasets, make no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and disclaims all responsibility and all liability (including without limitation, liability in negligence) for all expenses, losses, damages (including indirect or consequential damage) and costs which you might incur as a result of the product being inaccurate or incomplete in any way and for any reason.

Projection: GDA2020 / MGA zone 56

Date: 30/10/2023 2:14 PM

Start Time	End Time	Status
-----	-----	SERIAL NUMBER: UM10342
Oct 26/23 09:34:50		Start Monitoring Waveform Geo: 0.500 mm/s Mic: 110.0 dB
Oct 26/23 09:34:55	Oct 26/23 09:34:58	Event recorded. Trigger Level Tran: 0.500 mm/s
Oct 26/23 09:34:58	Oct 26/23 09:35:01	Event recorded. Trigger Level Tran: 0.500 mm/s
Oct 26/23 09:35:01	Oct 26/23 09:35:04	Event recorded. Trigger Level Tran: 0.500 mm/s
Oct 26/23 09:35:04	Oct 26/23 10:32:52	Event recorded. (Keyboard Exit) Waveform Geo: 0.500 mm/s Mic: 110.0 dB

## Results Summary Report

Customer	Blakebrook Quarry	
Date of blast	26/10/23	
Time of blast	10am	
Blast number	6	
Monitor Location	Location 2 [REDACTED] Keerrong Rd Blakebrook)	
Monitor name/ model details:	InstanTEL Micromate	
Monitor Serial no	UM10341	
Time of recording/comments	10.06 am	
Calibration date	22/05/2023	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		(Y)
Airblast overpressure result (dB)	188	
Ground vibration result (PPV)	2.645	
Licence limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments		

Monitor Location	Location 8 [REDACTED] Nimbin Rd Blakebrook)	
Monitor name/ model details:	InstanTEL Minimate Plus	
Monitor Serial no	BE22005	
Time of recording/comments	10.05 am	
Calibration date	17-02-2023	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		(Y)
Airblast overpressure result (dB)	94.0	
Ground vibration result (PPV)	0.730	
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments		

Monitor Location	Location 4 [REDACTED] Booerie Creek Road Booerie Creek)	
Monitor name/ model details:	InstanTEL Blastmate III	Monitor 7
Monitor Serial no	UM21716	
Time of recording/comments	10.06 am	
Calibration date	09-06-2023	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		(Y)
Airblast overpressure result (dB)	102.5	
Ground vibration result (PPV)	2.171	

EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s
Comments	

Monitor Location	Additional residence - [redacted] Keerrong Rd	No trigger
Monitor name/ model details:	InstanTel Minimate	
Monitor Serial no	UM10342	
Time of recording/comments	—	
Calibration date	22-05-2023	
Instrumentation used to measure the airblast overpressure and ground vibration levels meets the requirements of Australian Standard AS 2187.2-2006.		(Y)
Airblast overpressure result (dB)	No trigger	
Ground vibration result (PPV)	No trigger	
EPL limits	Airblast overpressure - 115 dB Ground vibration (PPV) - 5mm/s	
Comments	Under 0.5mm/s @ 110dBLS	

Name:	[redacted]	
Signature:	[redacted]	
Position:	Administration	Date: 26/10/2023