

# RESULTS OF DUST MONITORING (Page 1 of 1)

3 samples supplied by Lismore City Council on 14th January, 2019. Lab Job No. H7486

Exposure Period: 17/12/18 - 14/01/19

Samples submitted by Riccardo Mathnez. Your Job: Dust Monitoring

PO Box 23a LISMORE NSW 2480

Sample Site	EAL Code	Sample Comments	Diameter of Funnel (mm)	Sampling Days (days)	Sample Volume (L)	Deposit rate of Insoluble Solids		Ash (g/m <sup>2</sup> /month)	Combustible Matter (g/m <sup>2</sup> /month)	Soluble Matter (g/m <sup>2</sup> /month)	Total Solids (g/m <sup>2</sup> /month)
						(g/m <sup>2</sup> /month)	(mg/m <sup>2</sup> /day)				
S19-0006, D1	H7486/1	org. matter/insects	150	28	0.140	1.2	39	0.6	0.5	0.4	1.5
S19-0006, D2	H7486/2	brown/org. matter	150	28	0.220	6.3	209	2.5	3.8	2.5	8.8
S19-0006, D3	H7486/3	dy/0.2L Milliq added/yellowish	150	28	0.200	1.7	58	0.5	1.2	1.5	3.2
Method Reference											
a											

## METHODS REFERENCE

a : Australian Standard AS 3580.10.1.8.2.2-1991 (1 mm pre-sieving then using Whatman 42 Ashless filter)

## NOTES

1. . . No data/ information

2. Total Suspended Solids = Mass deposition rate of insoluble solids

3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled

4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or request).

Environmental Analysis Laboratory, Southern Cross University,  
Tel. 02 6620 3678, website: scu.edu.au/eal

checked: .....  
Graham Lancaster  
Laboratory Manager



## RESULTS OF DUST MONITORING (Page 1 of 1)

3 samples supplied by Lismore City Council on 12th February, 2019. Lab Job No. H8387

Exposure Period: 14/01/19 - 11/02/19

Samples submitted by Riccardo Martinez. Your Job: PO 07219

PO Box 23a LISMORE NSW 2480

Sample Site	EAL Code	Sample Comments	Diameter of Funnel (mm)	Sampling Days (days)	Sample Volume (L)	Deposit rate of Insoluble Solids		Deposit rate of:			
						Total Suspended Solids (SS <sub>T</sub> )		Ash (g/m <sup>2</sup> /month)	Combustible Matter (g/m <sup>2</sup> /month)	Soluble Matter (g/m <sup>2</sup> /month)	Total Solids (g/m <sup>2</sup> /month)
						(g/m <sup>2</sup> /month)	(mg/m <sup>2</sup> /day)				
<i>Method Reference</i>						<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>
<b>S19-0043, D1</b>	H8387/1	org. matter	150	28	0.410	0.9	30	0.5	0.4	0.9	1.8
<b>S19-0043, D2</b>	H8387/2	org. matter	150	28	0.560	1.7	55	1.1	0.6	1.2	2.9
<b>S19-0043, D3</b>	H8387/3	org. matter/cloudy	150	28	0.500	1.6	54	0.9	0.7	1.4	3.0

### METHODS REFERENCE

a. Australian Standard AS 3580.10.1.8.2.2-1991 (1 mm pre-sieving then using Whatman 42 Ashless filter)

### NOTES

1. ... No data/ information
2. Total Suspended Solids = Mass deposition rate of insoluble solids
3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).

## RESULTS OF DUST MONITORING (Page 1 of 1)

3 samples supplied by Lismore City Council on 9th April, 2019. Lab Job No.10573

Exposure Period: 11/3/19 - 8/4/19

Samples submitted by Riccardo Martinez. Your Job: PO: 07237

PO Box 23a LISMORE NSW 2480

Sample Site	EAL Code	Sample Comments	Diameter of Funnel (mm)	Sampling Days (days)	Sample Volume (L)	Deposit rate of Insoluble Solids		Deposit rate of:			
						Total Suspended Solids (SST)		Ash (g/m <sup>2</sup> /month)	Combustible Matter (g/m <sup>2</sup> /month)	Soluble Matter (g/m <sup>2</sup> /month)	Total Solids (g/m <sup>2</sup> /month)
						(g/m <sup>2</sup> /month)	(mg/m <sup>2</sup> /day)				
<i>Method Reference</i>						<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>
<b>S19-0096, D1</b>	10573/1	org. matter	150	28	2.910	1.3	44	0.1	1.2	2.0	3.3
<b>A19-0096, D2</b>	10573/2	yellow, org. matter	150	28	2.540	2.1	70	0.9	1.2	3.1	5.2
<b>S19-0096, D3</b>	10573/3	cloudy, org. matter	150	28	2.320	2.3	78	0.0	2.3	6.7	9.1

### METHODS REFERENCE

*a*. Australian Standard AS 3580.10.1.8.2.2-1991(1mm pre-sieving then using Whatman 42 Ashless filter)

### NOTES

1. ... No data/ information
2. Total Suspended Solids = Mass deposition rate of insoluble solids
3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).

# RESULTS OF DUST MONITORING (Page 1 of 1)

3 samples supplied by Lismore City Council on 12th March, 2019. Lab Job No. H9483

Exposure Period: 11/2/19 - 11/3/19

Samples submitted by Ricardo Martinez. Your Job: PO - 07228

PO Box 23a LISMORE NSW 2480

Sample Site	EAL Code	Sample Comments	Diameter of Funnel (mm)	Sampling Days (days)	Sample Volume (L)	Deposit rate of Insoluble Solids		Ash (g/m <sup>2</sup> /month)	Combustible Matter (g/m <sup>2</sup> /month)	Soluble Matter (g/m <sup>2</sup> /month)	Total Solids (g/m <sup>2</sup> /month)
						(g/m <sup>2</sup> /month)	(mg/m <sup>2</sup> /day)				
S19-0075 D1	H9483/1	org. matter	150	28	2.650	2.5	82	1.3	1.2	5.1	7.5
S19-0075 D2	H9483/2	clean	150	28	1.600	1.6	55	0.7	0.9	4.5	6.1
S19-0075 D3	H9483/3	yellow/org. matter	150	28	1.460	4.9	164	1.3	3.6	14.7	19.7
Method Reference											
a											

## METHODS REFERENCE

a - Australian Standard AS 3580.10.1.8.2-2-1991 (1 mm pre-sieving then using Whatman 42 Ashless filter)

## NOTES

- No data/information
- Total Suspended Solids = Mass deposition rate of insoluble solids
- Per Month calculations incorporate Sampling Days hence per Month actually refers to number of days sampled.
- All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).

Environmental Analysis Laboratory, Southern Cross University,  
Tel. 02 6620 3678, website: scu.edu.au/eal

checked: .....  
Graham Lancaster  
Laboratory Manager



**RESULTS OF DUST MONITORING (Page 1 of 1)**

3 samples supplied by Lismore City Council on 6th May, 2019. Lab Job No.i1397

**Exposure Period: 08/04/19 - 06/05/19**

Samples submitted by Riccardo Martinez. Your Job: PO 07249

PO Box 23a LISMORE NSW 2480

Sample Site	EAL Code	Sample Comments	Diameter of Funnel (mm)	Sampling Days (days)	Sample Volume (L)	Deposit rate of Insoluble Solids		Deposit rate of:			
						Total Suspended Solids (SST)		Ash (g/m <sup>2</sup> /month)	Combustible Matter (g/m <sup>2</sup> /month)	Soluble Matter (g/m <sup>2</sup> /month)	Total Solids (g/m <sup>2</sup> /month)
						(g/m <sup>2</sup> /month)	(mg/m <sup>2</sup> /day)				
<i>Method Reference</i>						<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>
<b>S19-0122, D1</b>	<i>i1397/1</i>	yellow, org. matter	150	28	2.000	0.4	14	0.2	0.2	2.5	2.9
<b>S19,0122, D2</b>	<i>i1397/2</i>	cloudy, org. matter	150	28	1.680	1.7	57	0.5	1.2	5.0	6.7
<b>S19, 0122, D3</b>	<i>i1397/3</i>	yellow, org. matter	150	28	1.370	1.3	44	0.7	0.6	11.4	12.7

**METHODS REFERENCE**

a. Australian Standard AS 3580.10.1.8.2.2-1991 (1 mm pre-sieving then using Whatman 42 Ashless filter)

**NOTES**

1. ...No data/ information
2. Total Suspended Solids = Mass deposition rate of insoluble solids
3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).

## RESULTS OF DUST MONITORING (Page 1 of 1)

3 samples supplied by Lismore City Council on 1st July, 2019. Lab Job No.13325

Exposure Period: 03/06/19 - 01/07/19

Samples submitted by Ricardo Martinez. Your Job: PO: 07181

PO Box 23a LISMORE NSW 2480

Sample Site	EAL Code	Sample Comments	Diameter of Funnel (mm)	Sampling Days (days)	Sample Volume (L)	Deposit rate of Insoluble Solids		Ash (g/m <sup>2</sup> /month)	Combustible Matter (g/m <sup>2</sup> /month)	Soluble Matter (g/m <sup>2</sup> /month)	Total Solids (g/m <sup>2</sup> /month)
						(g/m <sup>2</sup> /month)	(mg/m <sup>2</sup> /day)				
S19-0163, D1	1325/1	org. matter	150	28	2.450	1.5	51	0.8	0.7	2.1	3.6
S19-0163, D2	1325/2	brown, org. matter	150	28	1.850	8.7	292	2.1	6.6	22.1	30.8
S19-0163, D3	1325/3	cloudy, org. matter	150	28	1.850	1.3	43	0.4	0.9	1.5	2.8
<i>Method Reference</i>											
a											

**METHODS/REFERENCE:**

a : Australian Standard AS 3580.10.1.8.2.2-1991 (1mm pre-sieving then using Whatman 42 Ashless filter)

**NOTES:**

1. . No data/ information
2. Total Suspended Solids = Mass deposition rate of insoluble solids
3. Per Month calculations incorporate Sampling Days hence per Month actually refers to number of days sampled.
4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
5. Results relate only to the samples tested.
6. This report was issued on 03/07/2019.

Environmental Analysis Laboratory, Southern Cross University,  
Tel. 02 6620 3678, website: scu.edu.au/eal

checked: .....  
Graham Lancaster  
Laboratory Manager



## RESULTS OF DUST MONITORING (Page 1 of 1)

3 samples supplied by Lismore City Council on 4th June, 2019. Lab Job No.i2427

Exposure Period: 06/05/19 - 03/06/19

Samples submitted by Riccardo Martinez. Your Job: PO: 07168

PO Box 23a LISMORE NSW 2480

Sample Site	EAL Code	Sample Comments	Diameter of Funnel (mm)	Sampling Days (days)	Sample Volume (L)	Deposit rate of Insoluble Solids		Deposit rate of:			
						Total Suspended Solids (SSt)		Ash (g/m <sup>2</sup> /month)	Combustible Matter (g/m <sup>2</sup> /month)	Soluble Matter (g/m <sup>2</sup> /month)	Total Solids (g/m <sup>2</sup> /month)
						(g/m <sup>2</sup> /month)	(mg/m <sup>2</sup> /day)				
<i>Method Reference</i>						<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>
<b>S19-0144, D1</b>	<i>i2427/1</i>	yellow, org. matter	150	28	1.00	0.8	28	0.1	0.7	1.2	2.1
<b>S19-0144, D2</b>	<i>i2427/2</i>	cloudy, org. matter	150	28	0.60	1.6	53	0.0	1.6	1.1	2.6
<b>S19-0144, D3</b>	<i>i2427/3</i>	org. matter	150	28	0.51	1.0	33	0.0	1.0	0.6	1.6

### METHODS REFERENCE:

*a* . Australian Standard AS 3580.10.1.8.2.2-1991(1mm pre-sieving then using Whatman 42 Ashless filter)

### NOTES:

- .. No data/ information
- Total Suspended Solids = Mass deposition rate of insoluble solids
- Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- Results relate only to the samples tested.
- This report was issued on 07/06/2019.



## RESULTS OF DUST MONITORING (Page 1 of 1)

3 samples supplied by Lismore City Council on 29/07/2019. Lab Job No.i4251

Exposure Period: 1/7/19 - 29/7/19

Samples submitted by Riccardo Martinez. Your Job: ON 07186

PO Box 23a LISMORE NSW 2480

Sample Site	EAL Code	Sample Comments	Diameter of Funnel (mm)	Sampling Days (days)	Sample Volume (L)	Deposit rate of Insoluble Solids		Deposit rate of:			
						Total Suspended Solids (SSt)		Ash (g/m <sup>2</sup> /month)	Combustible Matter (g/m <sup>2</sup> /month)	Soluble Matter (g/m <sup>2</sup> /month)	Total Solids (g/m <sup>2</sup> /month)
						(g/m <sup>2</sup> /month)	(mg/m <sup>2</sup> /day)				
<i>Method Reference</i>						<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>
<b>S19-0216.D1</b>	<i>i4251/1</i>	..	150	28	0.82	0.5	17	0.1	0.4	1.4	1.9
<b>S19-0216.D2</b>	<i>i4251/2</i>	brown, fine org. matter	150	28	0.57	2.8	94	0.6	2.3	6.5	9.3
<b>S19-0216.D3</b>	<i>i4251/3</i>	cloudy, fine org. matter	150	28	0.55	2.1	71	0.9	1.3	2.3	4.5

### METHODS REFERENCE:

a . Australian Standard AS 3580.10.1.8.2.2-1991(1mm pre-sieving then using Whatman 42 Ashless filter)

### NOTES:

1. .. No data/ information
2. Total Suspended Solids = Mass deposition rate of insoluble solids
3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
5. Results relate only to the samples tested.
6. This report was issued on 01/08/2019.





## RESULTS OF DUST MONITORING (Page 1 of 1)

3 samples supplied by Lismore City Council on 27/08/2019. Lab Job No.i5232

Exposure Period: 29/07/19 - 26/08/19

Samples submitted by Riccardo Martinez. Your Job: PO 07198 Dust Monitoring

PO Box 23a LISMORE NSW 2480

Sample Site	EAL Code	Sample Comments	Diameter of Funnel (mm)	Sampling Days (days)	Sample Volume (L)	Deposit rate of Insoluble Solids		Deposit rate of:			
						Total Suspended Solids (SS <sub>T</sub> )		Ash (g/m <sup>2</sup> /month)	Combustible Matter (g/m <sup>2</sup> /month)	Soluble Matter (g/m <sup>2</sup> /month)	Total Solids (g/m <sup>2</sup> /month)
						(g/m <sup>2</sup> /month)	(mg/m <sup>2</sup> /day)				
<i>Method Reference</i>						<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>
<b>S19-0234,D1</b>	i5232/1	large org. matter	150	28	0.150	0.6	21	0.3	0.3	0.0	0.6
<b>S19-0234,D2</b>	i5232/2	fine org. matter	150	28	0.060	0.5	18	0.2	0.3	0.0	0.5
<b>S19-0234,D3</b>	i5232/3	yellow, cloudy, fine org. matter	150	28	0.050	1.6	52	0.9	0.7	0.0	1.6

### METHODS REFERENCE:

*a* . Australian Standard AS 3580.10.1.8.2.2-1991(1mm pre-sieving then using Whatman 42 Ashless filter)

### NOTES:

1. .. No data/ information
2. Total Suspended Solids = Mass deposition rate of insoluble solids
3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
5. Results relate only to the samples tested.
6. This report was issued on 02/09/2019.

# RESULTS OF DUST ANALYSIS

3 samples supplied by Lismore City Council on 24/09/2019. Lab Job No.16162  
 Exposure Period: 26/08/19 - 24/09/19

Samples submitted by Riccardo Martinez. Your Job: 11555

PO Box 23a LISMORE NSW 2480

Sample Site	EAL Code	Sample Comments	Diameter of Funnel (mm)	Sampling Days (days)	Sample Volume (L)	Deposit rate of Insoluble Solids		Ash (g/m <sup>2</sup> /month)	Combustible Matter (g/m <sup>2</sup> /month)	Soluble Matter (g/m <sup>2</sup> /month)	Total Solids (g/m <sup>2</sup> /month)
						(g/m <sup>2</sup> /month)	(mg/m <sup>2</sup> /day)				
S19-0295, D1	/6162/1	0.2L Millil Q added, fine org. matter	150	29	0.20	6.9	231	6.6	0.4	0.0	6.9
S19-0295, D2	/6162/2	0.2L Millil Q added, fine org. matter	150	29	0.20	0.5	18	0.4	0.2	0.0	0.5
S19-0295, D3	/6162/3	0.2L Millil Q added, fine org. matter	150	29	0.20	0.7	24	0.5	0.2	0.0	0.7
<i>Method Reference</i>											
<i>a</i>											
<i>a</i>											
<i>a</i>											

## METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-1991 (1mm pre-sieving then using Whatman 42 Ashless filter)

## NOTES:

1. .. No data/ information
2. Total Suspended Solids = Mass deposition rate of insoluble solids
3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
5. Results relate only to the samples tested.
6. This report was issued on 30/09/2019.

Environmental Analysis Laboratory, Southern Cross University,  
 Tel. 02 6620 3678, website: scu.edu.au/eal

checked: .....  
 Graham Lancaster  
 Laboratory Manager



## RESULTS OF DUST ANALYSIS

3 samples supplied by Lismore City Council on 22/10/2019. Lab Job No.i7077

Exposure Period: 24/09/19 - 21/10/19

Samples submitted by Riccardo Martinez. Your Job: PO: 11565

PO Box 23a LISMORE NSW 2480

Sample Site	EAL Code	Sample Comments	Diameter of Funnel (mm)	Sampling Days (days)	Sample Volume (L)	Deposit rate of Insoluble Solids		Deposit rate of:			
						Total Suspended Solids (SSt)		Ash (g/m <sup>2</sup> /month)	Combustible Matter (g/m <sup>2</sup> /month)	Soluble Matter (g/m <sup>2</sup> /month)	Total Solids (g/m <sup>2</sup> /month)
						(g/m <sup>2</sup> /month)	(mg/m <sup>2</sup> /day)				
<i>Method Reference</i>						<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>
<b>S19-0308, D1</b>	<i>i7077/1</i>	pine needles, fine org. matter, brown	150	27	0.16	2.1	70	1.4	0.7	0.4	2.5
<b>S19-0308, D2</b>	<i>i7077/2</i>	ants, fine org. matter	150	27	0.14	1.2	40	1.0	0.2	0.1	1.3
<b>S19-0308, D3</b>	<i>i7077/3</i>	fine org. matter	150	27	0.02	0.8	27	0.6	0.2	0.0	0.8

### METHODS REFERENCE:

a . Australian Standard AS 3580.10.1.8.2.2-1991(1mm pre-sieving then using Whatman 42 Ashless filter)

### NOTES:

- .. No data/ information
- Total Suspended Solids = Mass deposition rate of insoluble solids
- Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
- All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
- Results relate only to the samples tested.
- This report was issued on 29/10/2019.

# RESULTS OF DUST ANALYSIS

3 samples supplied by Lismore City Council on 18/11/2019. Lab Job No.:17991  
 Exposure Period: 21/10/19 - 18/11/19

Samples submitted by Riccardo Martinez. Your Job: Blakebrook Quarry  
 PO Box 23a LISMORE NSW 2480

Sample Site	EAL Code	Sample Comments	Diameter of Funnel (mm)	Sampling Days (days)	Sample Volume (L)	Deposit rate of Insoluble Solids		Ash (g/m <sup>2</sup> /month)	Combustible Matter (g/m <sup>2</sup> /month)	Soluble Matter (g/m <sup>2</sup> /month)	Total Solids (g/m <sup>2</sup> /month)
						(g/m <sup>2</sup> /month)	(mg/m <sup>2</sup> /day)				
S19-0337, D1	!7991/1	0.2L millil Q added, fine org. matter	150	28	0.200	0.5	18	0.5	0.0	0.1	0.6
S19-0337, D2	!7991/2	0.2L millil Q added, fine org. matter	150	28	0.200	0.8	26	0.5	0.3	0.0	0.8
S19-0337, D3	!7991/3	0.2L millil Q added, fine org. matter	150	28	0.200	0.4	12	0.3	0.0	0.0	0.4
<i>Method Reference</i>											
<i>a</i>											
<i>a</i>											
<i>a</i>											
<i>a</i>											

**METHODS REFERENCE:**  
 a . Australian Standard AS 3580.10.1.8.2.2-1991(1mm pre-sieving then using Whatman 42 Ashless filter)

**NOTES:**  
 1. .. No data/ information  
 2. Total Suspended Solids = Mass deposition rate of insoluble solids  
 3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.  
 4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).  
 5. Results relate only to the samples tested.  
 6. This report was issued on 21/11/2019.

Environmental Analysis Laboratory, Southern Cross University,  
 Tel. 02 6620 3678, website: scu.edu.au/eal

checked: .....  
 Graham Lancaster  
 Laboratory Manager



## RESULTS OF DUST ANALYSIS

3 samples supplied by Lismore City Council on 17/12/2019. Lab Job No. i9096.

**Exposure Period: 18/11/19 - 16/12/19**

Samples submitted by Riccardo Martinez. Your Job: PO: 11575.

PO Box 23a LISMORE NSW 2480

Sample Site	EAL Code	Sample Comments	Diameter of Funnel (mm)	Sampling Days (days)	Sample Volume (L)	Deposit rate of Insoluble Solids		Deposit rate of:			
						Total Suspended Solids (SSt)		Ash (g/m <sup>2</sup> /month)	Combustible Matter (g/m <sup>2</sup> /month)	Soluble Matter (g/m <sup>2</sup> /month)	Total Solids (g/m <sup>2</sup> /month)
						(g/m <sup>2</sup> /month)	(mg/m <sup>2</sup> /day)				
<i>Method Reference</i>						<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>	<i>a</i>
<b>S19-0376, D1</b>	<i>i9096/1</i>	Fine Org. Matter, Cloudy, Brown	150	28	0.80	13.6	453	8.6	4.9	3.2	16.8
<b>S19-0376, D2</b>	<i>i9096/2</i>	Fine Org. Matter, Cloudy	150	28	0.85	3.3	111	2.3	1.0	1.4	4.7
<b>S19-0376, D3</b>	<i>i9096/3</i>	Fine Org. Matter, Cloudy	150	28	0.85	2.8	93	2.0	0.8	3.3	6.1

### METHODS REFERENCE:

a. Australian Standard AS 3580.10.1.8.2.2-1991(1mm pre-sieving then using Whatman 42 Ashless filter)

### NOTES:

1. ... No data/ information
2. Total Suspended Solids = Mass deposition rate of insoluble solids
3. Per Month calculations incorporate 'Sampling Days' hence per Month actually refers to number of days sampled.
4. All services undertaken by EAL are covered by the EAL Laboratory Services Terms and Conditions (refer scu.edu.au/eal or on request).
5. Results relate only to the samples tested.
6. This report was issued on 20/12/2019.



checked: .....  
Graham Lancaster  
Laboratory Manager